


# Emit series



Advanced Dynaudio driver technologies, coupled with Dynaudio's renowned Danish craftsmanship, highlight the Emit series.

**DYNAUDIO**



Emit M30

Emit M20

Emit M10

Emit M15 Center

**Emit series**

Data	Emit M30	Emit M20	Emit M10	Emit M15 Center
Sensitivity	86dB (2.83V / 1m)	86dB (2.83V / 1m)	86dB (2.83V / 1m)	86dB (2.83V / 1m)
IEC power handling	200W	150W	150W	> 150W
Impedance	4Ω	4 Ohms	6Ω	4-6Ω
Frequency response (+/- 3dB)	40Hz – 23kHz	50Hz – 23kHz	50Hz – 23kHz	60Hz – 23kHz
Box Principle	Bass reflex rear ported	Bass reflex rear ported	Bass reflex rear ported	Bass reflex rear ported
Crossover	2-way	2-way	2-way	2-way
Crossover frequency	1800Hz	2600Hz	1800Hz	1800Hz
Crossover topology	2nd order	1st/2nd order	1st order	1st/2nd order
Woofer	2 x 17cm MSP	17cm MSP	14cm MSP	2 x 11cm MSP
Midrange	-	-	-	-
Tweeter	28mm soft dome	28mm soft dome	28mm soft dome	28mm soft dome
Weight	18kg / 40lb	7.5kg / 16lb	5.6kg / 12lb	7kg / 16lb
Dimensions (W x H x D)	204 x 960 x 275mm 8 x 37.8 x 10.8in	215 x 355 x 265mm 8.5 x 14 x 10.4in	170 x 292 x 238mm 6.7 x 11.5 x 9.5in	500 x 142 x 200mm 19.7 x 5.6 x 7.9in
Dimensions with feet/grille (W x H x D)	204 x 960 x 290mm 8 x 37.8 x 11.4in	215 x 355 x 280mm 8.5 x 14 x 11in	170 x 292 x 253mm 6.7 x 11.5 x 10in	500 x 180 x 215mm 19.7 x 7.1 x 8.3in

**Finishes/grilles:** Black Satin/Black and White Satin/Grey



**Emit**  
High-end's highest value

**Emit**  
**Designed,  
engineered  
and assembled  
in Denmark**

Learn more, get the latest tips and tricks and read our reviews on  
[dynaudio.com](https://www.dynaudio.com) and [facebook.com/dynaudiogroup](https://facebook.com/dynaudiogroup)

**DYNAUDIO**

Dynaudio A/S  
Sverigesvej 15  
8660 Skanderborg  
Denmark

[www.dynaudio.com](https://www.dynaudio.com)

Product Series Insert, Emit,  
Item no. 45538205A

All text and image copyrights reserved  
Subject to change without notice